



spastic paraplegia type 11

Spastic paraplegia type 11 is part of a group of genetic disorders known as hereditary spastic paraplegias. These disorders are characterized by progressive muscle stiffness (spasticity) and the development of paralysis of the lower limbs (paraplegia). Hereditary spastic paraplegias are divided into two types: pure and complex. The pure types involve the lower limbs. The complex types involve the lower limbs and can affect the upper limbs to a lesser degree. Complex spastic paraplegias also affect the structure or functioning of the brain and the peripheral nervous system, which consists of nerves connecting the brain and spinal cord to muscles and sensory cells that detect sensations such as touch, pain, heat, and sound. Spastic paraplegia type 11 is a complex hereditary spastic paraplegia.

Like all hereditary spastic paraplegias, spastic paraplegia type 11 involves spasticity of the leg muscles and muscle weakness. In almost all individuals with this type of spastic paraplegia, the tissue connecting the left and right halves of the brain (corpus callosum) is abnormally thin. People with this form of spastic paraplegia can also experience numbness, tingling, or pain in the arms and legs (sensory neuropathy); disturbance in the nerves used for muscle movement (motor neuropathy); intellectual disability; exaggerated reflexes (hyperreflexia) of the lower limbs; speech difficulties (dysarthria); reduced bladder control; and muscle wasting (amyotrophy). Less common features include difficulty swallowing (dysphagia), high-arched feet (pes cavus), an abnormal curvature of the spine (scoliosis), and involuntary movements of the eyes (nystagmus). The onset of symptoms varies greatly; however, abnormalities in muscle tone and difficulty walking usually become noticeable in adolescence.

Many features of spastic paraplegia type 11 are progressive. Most people experience a decline in intellectual ability and an increase in muscle weakness and nerve abnormalities over time. As the condition progresses, some people require wheelchair assistance.

Frequency

Over 100 cases of spastic paraplegia type 11 have been reported. Although this condition is thought to be rare, its exact prevalence is unknown.

Genetic Changes

Mutations in the *SPG11* gene cause spastic paraplegia type 11. The *SPG11* gene provides instructions for making the protein spatacsin. Spatacsin is active (expressed) throughout the nervous system, although its exact function is unknown. Researchers speculate that spatacsin may be involved in the maintenance of axons, which are

specialized extensions of nerve cells (neurons) that transmit impulses throughout the nervous system.

SPG11 gene mutations typically change the structure of the spatacsin protein. The effect that the altered spatacsin protein has on the nervous system is not known. Researchers suggest that mutations in spatacsin may cause the signs and symptoms of spastic paraplegia type 11 by interfering with the protein's proposed role in the maintenance of axons.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- autosomal recessive spastic paraplegia complicated with thin corpus callosum
- autosomal recessive spastic paraplegia with mental impairment and thin corpus callosum
- HSP-TCC
- SPG11-related hereditary spastic paraplegia with thin corpus callosum

Diagnosis & Management

These resources address the diagnosis or management of spastic paraplegia type 11:

- GeneReview: Spastic Paraplegia 11
<https://www.ncbi.nlm.nih.gov/books/NBK1210>
- Genetic Testing Registry: Spastic paraplegia 11, autosomal recessive
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1858479/>
- Spastic Paraplegia Foundation, Inc.: Treatments and Therapies
<http://sp-foundation.org/understanding-pls-hsp/treatments.html>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Neuromuscular Disorders
<https://medlineplus.gov/neuromusculardisorders.html>
- Health Topic: Paralysis
<https://medlineplus.gov/paralysis.html>
- Health Topic: Peripheral Nerve Disorders
<https://medlineplus.gov/peripheralnervedisorders.html>

Genetic and Rare Diseases Information Center

- Spastic paraplegia 11
<https://rarediseases.info.nih.gov/diseases/4919/spastic-paraplegia-11>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Hereditary Spastic Paraplegia
<https://www.ninds.nih.gov/Disorders/All-Disorders/Hereditary-spastic-paraplegia-Information-Page>

Educational Resources

- Disease InfoSearch: Spastic paraplegia 11
<http://www.diseaseinfosearch.org/Spastic+paraplegia+11/6677>
- MalaCards: spastic paraplegia 11
http://www.malacards.org/card/spastic_paraplegia_11
- Merck Manual Home Edition for Patients and Caregivers
<http://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/spinal-cord-disorders/hereditary-spastic-paraparesis>
- Orphanet: Hereditary spastic paraplegia
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=685
- University of Kansas Medical Center Resource List
<http://www.kumc.edu/gec/support/hsp.html>
- Washington University, St. Louis: Neuromuscular Disease Center
<http://neuromuscular.wustl.edu/spinal/fsp.html#spgmu>

Patient Support and Advocacy Resources

- National Ataxia Foundation
<http://www.ataxia.org/>
- National Organization for Rare Disorders (NORD): Hereditary Spastic Paraplegia
<https://rarediseases.org/rare-diseases/hereditary-spastic-paraplegia/>
- RareConnect
<https://www.rareconnect.org/en/community/hereditary-spastic-paraplegia>
- Spastic Paraplegia Foundation, Inc.: About Hereditary Spastic Paraplegia
<http://sp-foundation.org/understanding-pls-hsp/hsp.html>

GeneReviews

- Spastic Paraplegia 11
<https://www.ncbi.nlm.nih.gov/books/NBK1210>

Genetic Testing Registry

- Spastic paraplegia 11, autosomal recessive
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1858479/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22spastic+paraplegia+type+11%22+OR+%22Spastic+Paraplegia%2C+Hereditary%22+OR+%22Spastic+Paraplegia%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28SPG11%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- SPASTIC PARAPLEGIA 11, AUTOSOMAL RECESSIVE
<http://omim.org/entry/604360>

Sources for This Summary

- Denora PS, Schlesinger D, Casali C, Kok F, Tessa A, Boukhris A, Azzedine H, Dotti MT, Bruno C, Truchetto J, Biancheri R, Fedirko E, Di Rocco M, Bueno C, Malandrini A, Battini R, Sickl E, de Leva MF, Boespflug-Tanguy O, Silvestri G, Simonati A, Said E, Ferbert A, Criscuolo C, Heinemann K, Modoni A, Weber P, Palmeri S, Plasilova M, Pauri F, Cassandrini D, Battisti C, Pini A, Tosetti M, Hauser E, Masciullo M, Di Fabio R, Piccolo F, Denis E, Cioni G, Massa R, Della Giustina E, Calabrese O, Melone MA, De Michele G, Federico A, Bertini E, Durr A, Brockmann K, van der Knaap MS, Zatz M, Filla A, Brice A, Stevanin G, Santorelli FM. Screening of ARHSP-TCC patients expands the spectrum of SPG11 mutations and includes a large scale gene deletion. *Hum Mutat.* 2009 Mar;30(3):E500-19. doi: 10.1002/humu.20945.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19105190>
- Hehr U, Bauer P, Winner B, Schule R, Olmez A, Koehler W, Uyanik G, Engel A, Lenz D, Seibel A, Hehr A, Ploetz S, Gamez J, Rolfs A, Weis J, Ringer TM, Bonin M, Schuierer G, Marienhagen J, Bogdahn U, Weber BH, Topaloglu H, Schols L, Riess O, Winkler J. Long-term course and mutational spectrum of spatacsin-linked spastic paraplegia. *Ann Neurol.* 2007 Dec;62(6):656-65.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18067136>
- Paisan-Ruiz C, Dogu O, Yilmaz A, Houlden H, Singleton A. SPG11 mutations are common in familial cases of complicated hereditary spastic paraplegia. *Neurology.* 2008 Apr 15;70(16 Pt 2):1384-9. doi: 10.1212/01.wnl.0000294327.66106.3d. Epub 2008 Mar 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18337587>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2730021/>
- Paisan-Ruiz C, Nath P, Wood NW, Singleton A, Houlden H. Clinical heterogeneity and genotype-phenotype correlations in hereditary spastic paraplegia because of Spatacsin mutations (SPG11). *Eur J Neurol.* 2008 Oct;15(10):1065-70. doi: 10.1111/j.1468-1331.2008.02247.x. Epub 2008 Aug 20.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18717728>
- Stevanin G, Azzedine H, Denora P, Boukhris A, Tazir M, Lossos A, Rosa AL, Lerer I, Hamri A, Alegria P, Loureiro J, Tada M, Hannequin D, Anheim M, Goizet C, Gonzalez-Martinez V, Le Ber I, Forlani S, Iwabuchi K, Meiner V, Uyanik G, Erichsen AK, Feki I, Pasquier F, Belarbi S, Cruz VT, Depienne C, Truchetto J, Garrigues G, Tallaksen C, Tranchant C, Nishizawa M, Vale J, Coutinho P, Santorelli FM, Mhiri C, Brice A, Durr A; SPATAX consortium. Mutations in SPG11 are frequent in autosomal recessive spastic paraplegia with thin corpus callosum, cognitive decline and lower motor neuron degeneration. *Brain.* 2008 Mar;131(Pt 3):772-84. Epub 2007 Dec 13.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18079167>
- Stevanin G, Santorelli FM, Azzedine H, Coutinho P, Chomilier J, Denora PS, Martin E, Ouvrard-Hernandez AM, Tessa A, Bouslam N, Lossos A, Charles P, Loureiro JL, Elleuch N, Confavreux C, Cruz VT, Ruberg M, Leguern E, Grid D, Tazir M, Fontaine B, Filla A, Bertini E, Durr A, Brice A. Mutations in SPG11, encoding spatacsin, are a major cause of spastic paraplegia with thin corpus callosum. *Nat Genet.* 2007 Mar;39(3):366-72. Epub 2007 Feb 18.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17322883>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/spastic-paraplegia-type-11>

Reviewed: April 2009

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services